No.



8400074

THE DANHED SHATES OF AMERICA

Pioneer Hi-Bred International, Inc.

Colherens, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS BEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENT OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE THILE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT SINDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT, ARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) FOR THE TERM OF LIGHTERN THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OF ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF Eighteen YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED TES AND TERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, IMPORTING IT, OR EXPORTING IT, OR USING IN PRODUCING A HYBRID OR DIFFERENT BY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT

SOYBEAN

192921

In Testimony Watercot, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington this 26th day of April in

this 16th day of April in the year of our Lord one thousand nine hundred and eighty-five.

John R Block

Secretary of Agriculture

Strath H. Exans
Commissioner
That Variety Partition Office

Plant Variety Protection Office Agricultural Marketing Service

 $A \times X \wedge X \times A \times I$

UNITED STATES DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, POULTRY, GRAIN & SEED DIVISION

1a. TEMPORARY DESIGNATION OF

FORM APPROVED OMB NO. 40-R3822

No certificate for plant variety protection may be issued unless a completed application form has been received (5 U.S.C. 553). APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE INSTRUCTIONS: See Reverse.

1b. VARIETY NAME

1a	. TEMPORARY DESIGNATION OF VARIETY	1b. VARIETY NAM	Ε .	FOR OFFICI	AL USE ONLY
		9292	· · · · · · · · · · · · · · · · · · ·	84000	74
2.	KIND NAME	3. GENUS AND SPE	CIES NAME	FILING DATE 3/20/84	TIME XXXX
	Soybean	Glycine max	(FEE RECEIVED	DATE P.M.
4.	FAMILY NAME (BOTANICAL)	5. DATE OF DETE	NOITANIME	s 1,800	3/20/84
	Leguminosae	October, 1 January, 1	978 982 (increase)	\$ 200.00	3/18/85
6.	NAME OF APPLICANT(S)		t and No. or R.F.D. No.,	City, State, and ZIP	8. TELEPHONE AREA
	Pioneer Hi-Bred		1 Square	• • • • • •	CODE AND NUMBE
1.15	International, Inc.		cust Street	200	(210)077 1702
9.	IF THE NAMED APPLICANT IS NOT A PE	RSON FORM OF		309 ed, give state and	(319)277-1733
	ORGANIZATION: (Corporation, partnershi	ip, association, etc.)	DATE OF INCOR	PORATION	PORATION
	Corporation	<u>- </u>	Iowa		1926
12.	NAME AND MAILING ADDRESS OF APPL ALL PAPERS:	•			
	Clark W. Jeni	nings		Dale L. Porter	
	Box 854 Cedar Falls.	Town 50612			- 400 Locust St
13.	CHECK BOX BELOW FOR EACH ATTACH	MENT SUBMITTED:		<u>Des Moines. Iow</u>	ia 50509
	13A. Exhibit A, Origin and Bree	ding History of the	Variety (See Section 5	2 of the Plant Variety	Protection Act.)
,	X 13B. Exhibit B, Novelty Stateme				•
	X 13C. Exhibit C, Objective Descri	ntion of the Variety	(Paguest form from	Dlant Variate Protecti	on Office 1
	13D. Exhibit D, Additional Desc			i umi vanety Protecti	on Office.)
14a.	DOES THE APPLICANT(S) SPECIFY THAT	:		HETY NAME ONLY AC	A CLASS OF CERTIFIE
	SEED? (See Section 83(a). (If "Yes," answe	r 14B and 14C below.)	YES X		A CLASS OF CERTIFIED
14b.	DOES THE APPLICANT(S) SPECIFY THAT LIMITED AS TO NUMBER OF GENERATION	THIS VARIETY BE	14c. IF "YES," TO 14E TION BEYOND B	HOW MANY GENERA	TIONS OF PRODUC-
	YES X NO		FOUNDATION	REGISTERED	CERTIFIED
15a.	DID THE APPLICANT(S) FILE FOR PROTE name of countries and dates.)	CTION OF THIS VAF	HETY IN OTHER COUN	ITRIES? TYES	NO (If "Yes," give
				\$ - x	
					÷
15b.	HAVE RIGHTS BEEN GRANTED THIS VAI and dates.)	RIETY IN OTHER CO	UNTRIES? YES	NO (If "Yes," g	vive name of countries
16.	DOES THE APPLICANT(S) AGREE TO THE JOURNAL?		*** *** *** *** *** *** *** *** *** **		
17,	The applicant(s) declare(s) that a viable replenished upon request in accordance	sample of basic seed with such regulation	of this variety will be as as may be applicabl	e furnished with the a	pplication and will be
	The undersigned applicant(s) is (are) the variety is distinct, uniform, and stable at 42 of the Plant Variety Act.	owner(s) of this sea	cually reproduced nov	el plant variety, and b	provisions of Section
•	Applicant(s) is (are) informed that false	representation herei	n can jeopardize prot	ection and result in pe	nalties.
	14 March 1984		Clark	Xemin.	
•	(DATE)		(s	IGNATURE OF APPLIC	ANT)
			en e		
	(DATE)	rigina della d La compania della del	(S	IGNATURE OF APPLIC	ANT)

Attachment: 9292 Soybean (March, 1984)

Exhibit A: Variety 9292 evolved from a cross of 149-66 X Williams. (149-66 was derived from a cross of Corsoy X Magna.) It is an F5-derived variety which was advanced to the F5 generation by modified single-seed descent. The F6 progeny row of 9292 was grown in Iowa during the summer of 1978. Subsequently, 9292 has undergone five years of extensive testing and purification and has been observed by the breeder to be uniform and stable for all plant traits from generation to generation, with no evidence of variants.

Seed hila of variety 9292 are light brown in color, and under certain environmental conditions may appear buff or light tan in color. When seeds of this type are planted, they produce plants having seeds with light brown hila color.

5 acres of 9292 (breeders seed) were grown in 1982. 215 acres of parent seedstock (foundation seed equivalent) were grown in 1983.

Attachment: 9292 Soybean (March, 1984)

8400074

Exhibit B: Variety 9292 is most similar to the variety 9271. However, the cotyledons of each contain and express different isozymes of the protein enzyme'isocitrate dehydrogenase' (IDH) as determined by using electrophretic techniques described by Cardy, et al (1980)¹ and illustrated specifically for soybeans by Cardy and Beversdorf (in press)².

Cotyledons from variety 9271 produce an IDH-type B isozyme banding pattern, whereas cotyledons from variety 9292 produce an IDH-type A isozyme banding pattern. Each variety has been observed to be uniform and stable for the expression of its respective isozyme pattern, with no evidence of variants.

- 1. Cardy, B.J., Stuber, C.W. and Goodman, M.M. (1980)
 Techniques for starch gel electrophoresis of enzymes from maize (Zea mays L.). Department of Statistics Mimeo Series No. 1317, North Carolina State University, Raleigh, North Carolina, 31pp.
- 2. Cardy, B.J. and Beversdorf, W.D. (in press) Identification of soybean cultivars using isoenzyme electrophoresis. (Submitted to Seed Science and Technology, May 1983.)

Attachment: 9292 Soybean (October 1984)

Exhibit B (Addendum):

In addition to the IDH izozyme banding pattern differences between 9292 and 9271, they also differ in days to maturity and in percent etched (physiologically cracked) seeds. 9292 is significantly later than 9271 by 3 days (see Table 1.), and has more than 40 percent fewer etched seeds per 100 seed sample than does 9271 (see Table 2.).

Variety 9292 is also similar to variety CX 290. However, it differs from CX 290 in seed protein peroxidase activity; CX 290 has a <u>low</u> activity, whereas 9292 has a high activity.

Table 1. Paired Comparison (Days to Maturity) 1981-83

YR/ EXP /LOC	9271(X ₂)	9292(X ₁)	X1-X2	$(x_1-x_2)^2$
83/CFA2/01	122	127	5	25
83/CFA2/02	137	141	4	16
83/CFA2/05	114	120	6	36
83/NPA2/46	119	120	1	1
83/NPA2/48	125	127	2 6	4
83/SJA2/39	121	127		- 36
83/CFV2/01	122	128	6 3 7	36
83/CFV2/04	115	118	3	9
83/CFV2/38	116	123		49
83/CFV2/39	124	128	4	16
83/CFV2/48	124	126	2	4
82/CFA2/04	127	131	4	16
82/SJA2/38	128	129	1	1
82/SJA2/39	123	127	4 3 3 3 2 1	16
82/NPA2/47	85	88	3	9
82/NPA2/53	119	122	3	9
82/NPA2/55	120	123	3	9
82/NPA2/59	131	133	2 -	4
81/CFA2/01	130	131		1
81/CFA2/02	132	133	1	1
81/SJA2/39	116	117	1	1
TOTAL	2,550	2,619	69	299
\overline{X}	121.4	124.7	3.3	
•		•	•	

$$n = 21$$

$$s_{\overline{d}} = \sqrt{\frac{299 - [(69)^2/21]}{(21)(20)}} = .415$$

t (.05) =
$$\frac{\overline{d}}{s}$$
 = $\frac{3.3}{.415}$ = 7.95 ** with 20 df

Table 2. Paired Comparison (number of etched seeds per 100 seeds) - 1983 data

TEST / LOC / REP	9271(X ₁)	9292(X ₂)	(X ₁ -X ₂)	$(x_1-x_2)^2$
CFA2 / 01 / 1 2 3 02 1 2 3 03 1 2 04 1 2 3 11 1 2 3 12 1	58 57 55	9 12 13	49 45 42	2401 2025 1764
02 1	81	30	51	2601
2	87 81	38 43	49 38	2401 1444
03 1	91	21	70	4900
2 04 1	75 85	41 49	34 36	1156 1296
2	90	20	70	4900
3 11 1	86 67	50 25	36 42	1296 1764
2	67	24	43	1764 1849
3 12 1	49 80	30 24	19	361
2	7.2 _{2.6}	24 38	56 34	3136 - 1156
3 CFA2B2/ 01 / 1	64 40	22	42	1764 529
2	38	17 13	23 25	625
CFA2B2/ 01 / 1 2 3 04 1 2	20 78	16	4	16
2	91	29 23	49 68	2401 4624
3 CFV200/ 01 / 1	91	18	73	5329
CFV200/ 01 / 1 2 3 04 1 2 3	65 67	24 24	41 43	1681 1849
3 04 1	58	30	28	784
2	55 81	26 27	29 54	841 2916
	98	23	75	5625
	40 52	19 31	21 21	441 441
3	30	24	6	36
2 3 02 1 2 3	74 84	20 29	54 55	2916 3025
3	79	25	54	2916
TOTAL	2386	907	1479	73209
\overline{X}	68.2	25.9	42.3	
n = 35		1		

$$\frac{s}{d} = \sqrt{\frac{73209 - [(1479)^2/35]}{35(34)}} = 3.00$$

$$t_{(.05)} = \frac{\overline{d}}{s_{\overline{d}}} = \frac{42.3}{3.0} = 14.09 ** for 34 df$$

8400074

Page 1 of 4

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
LIVESTOCK, MEAT, GRAIN & SEED DIVISION
PLANT VARIETY PROTECTION OFFICE
BELTSVILLE, MARYLAND 20705

EXHIBIT C (Soybean)

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME	
Pioneer Hi-Bred International, Inc.		9292	
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Code	FOR OFFICIAL USE ONLY		
Capital Square	PVPO NUMBER		
400 Locust street Des Moines, Iowa 50309		8400	074
Choose the appropriate response which characterizes the vari	iety in the features described l	below. When the number	er of significant digits
in your answer is fewer than the number of boxes provided,	place a zero in the first box w	hen number is 9 or less	(e.g., 0 9).
1. SEED SHAPE:	O		
	T		
1 = Spherical (L/W, L/T, and T/W ratios = < 1.2)	T 2 = Spherical Flattened	(L/W ratio > 1.2; L/T ratio	= < 1.2)
3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)	4 = Elongate Flattened (L/T ratio > 1.2; T/W > 1	.2)
2. SEED COAT COLOR: (Mature Seed)			
1 1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other	(Specify)	
I Tollow 2 Green B Brown	- Pidox		
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)			استستند
1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebso	y'; 'Gasoy 17')		
4. SEED SIZE: (Mature Seed)		<u> </u>	
1 8 Grams per 100 seeds	•		
5. HILUM COLOR: (Mature Seed)			
5. HILDIN COLOR: (Matter Seed)			
3 1 = Buff 2 = Yellow 3 = Brown 4	I = Gray 5 = Imperfect Bla	ick 6 = Black	7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)			
1 = Yellow 2 = Green			
7. SEED PROTEIN PEROXIDASE ACTIVITY:			
2 1 = Low 2 = High			
Z - riigh		·	
8. SEED PROTEIN ELECTROPHORETIC BAND:			
1 = Type A (SP1 ^a) 2 = Type B (SP1 ^b)			
9. HYPOCOTYL COLOR:			·
1 = Green only ('Evans'; 'Davis') 2 = Green with 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71')	bronze band below cotyledons ('Woodworth'; 'Tracy')	
4 = Dark Purple extending to unifoliate leaves ('Hodgson'; '	Coker Hampton 266A')		
10. LEAFLET SHAPE:			
3 1 = Lanceolate 2 = Oval 3 = Ovate	4 = Other (Specify)		
	=		ל

FORM LMGS-470-57 (2-82)

Brown Stem Rot (Cephalosporium gregatum)

Stem Canker (Diaporthe phaseolorum var. caulivora)

8400074

19. DISEASE REACTION	ON: (Enter 0 = Not Tested; 1 = Susceptible; 2 =	= Resistant) (Continued)		
FUNGAL DISEA	SES: (Continued)			
0 Pod and Si	em Blight (Diaporthe phaseolorum var; sojae)			ng traw
0 Purple See	d Stain (Cercospora kikuchii)	~		·
0 Rhizocton	a Root Rot (Rhizoctonia solani)			•
Phytophth	ora Rot (Phytophthora megasperma var. sojae)			
1 Race 1	1 Race 2 0 Race 3 0	Race 4 0 Race 5	0 Race 6 0	Race 7
0 Race 8	O Race 9 Other (Specify)			
VIRAL DISEASE	S:	•	•	
0 Bud Blight	(Tobacco Ringspot Virus)			
O Yellow Mos	aic (Bean Yellow Mosaic Virus)			
<u> </u>	saic (Cowpea Chlorotic Virus)			
	(Bean Pod Mottle Virus)			
	(Soybean Mosaic Virus)			
NEMATODE DISE				·
	st Nematode (Heterodera glycines)			
0 Race 1] S4	(0	
	tode (Hoplolaimus Colombus)	Race 4 0 Other	(Specify)	
	oot Knot Nematode (Meloidogyne incognita)			
	oot Knot Nematode (Meloidogyne Hapla)		••.	
	Knot Nematode (Meloidogyne arenaria)			
<u></u>	ematode (Rotylenchulus reniformis)	,		
O OTHER DIS	EASE NOT ON FORM (Specify):		· · · · · · · · · · · · · · · · · · ·	
D. PHYSIOLOGICAL RE	SPONSES: (Enter 0 = Not Tested; 1 = Suscep	tible: 2 = Resistant)		
	s on Calcareous Soil		•	j.
Other (Special				
	(Enter 0 = Not Tested; 1 = Susceptible; 2 = Ro			· · · · · · · · · · · · · · · · · · ·
	Beetle (Epilachna varivestis)	ssistant,		
	iopper (Empoasca fabae)			
٢٥٦	· ·			
Other (Specif				
	ARIETY MOST CLOSELY RESEMBLES THA			
CHARACTER Plant Shape	NAME OF VARIETY	CHARACTER	NAME OF VA	RIETY
Leaf Shape	9271	Seed Coat Luster	9271	
Leaf Color	9271 A3127	Seed Size	<u>Century</u> 9271	
Leaf Size	9271	Seed Shape Seedling Pigmentation		
	32/1	Gooding Figurentation	9271	9

FORM LMGS-470-57 (2-82)

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS	PLANT CM LODGING PLANT SCORE HEIGHT		LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/
	MATURITY		HEIGHT	CM Width	CM Length	% Protein	% Oil	SEEDS	POD
9292 Submitted	126	1.7	91						
0074	1-0					——————————————————————————————————————		·	
9271 Name of Similar Variety	124	1.8	89	,					

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

* 100014